

# **Department of Defense Standardization Program**



## **ASSIST UPDATE**

**(A bi-monthly summary of changes to the ASSIST document database)**

**1 March 2010**

**(For the Period 15 February 2010 to 28 February 2010)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

## ASSIST UPDATE

01-MAR-2010

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-19500/393J	Semiconductor Device, Transistor, NPN, Silicon Power, Types 2N3418, 2N3418S, 2N3418U4, 2N3419, 2N3419S, 2N3419U4, 2N3420, 2N3420S, 2N3420U4, 2N3421, 2N3421S, and 2N3421U4, JAN, JANTX, JANTXV, JANS, JANSM, JANSJ, JANSF, JANSR, JANSF, JANSJ, JANSI, JANHC, JANHCC, JANHCC, JANHCCM, JANHCCD, JANHCCP, JANHCCCL, JANHCCCR, JANHCCF, JANHCCG, and JANHCCCH [CUST: CR EC 85 CC NA] [REVIEW: 19 85 AR AS AV MC MI]	A	5961		CC	17-FEB-2010
M	MIL-PRF-19500/399E NOT 1	Semiconductor Device, Transistor, NPN, Silicon, Switching Type 2N3960 and 2N3960UB JAN, JANTX, JANTXV, JANS, JANHC and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 71 AR AS MC MI]	A	5961		CC	24-FEB-2010
M	MIL-PRF-19500/426E NOT 1	Semiconductor Device, Transistor, PNP, Silicon, Amplifier Type 2N4957 and 2N4957UB JAN, JANTX, JANTXV, JANS, JANHC and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR MI SH]	A	5961		CC	24-FEB-2010
M	MIL-PRF-19500/448D NOT 1	Semiconductor Device, Transistor, PNP, Silicon, Low-Power, Type 2N4405, 2N4405UA, and 2N4405UB, JAN and JANTX [CUST: CR 85 CC] [REVIEW: 19 99 MI]	A	5961		CC	24-FEB-2010
M	MIL-PRF-19500/463H(1)	Semiconductor Device, Diode, Silicon, Current Regulator, Types 1N5283-1 through 1N5314-1, and 1N5283UR-1 through 1N5314UR-1, 1N7048-1 through 1N7055-1, 1N7048UR-1 through 1N7055UR-1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	16-FEB-2010
M	MIL-PRF-19500/527E	Semiconductor Device, Darlington Transistor, PNP, Silicon, Power, Types 2N6648, 2N6649, and 2N6650 JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 MC]	A	5961		CC	22-FEB-2010
M	MIL-PRF-19500/558G	Semiconductor Device, Unitized, PNP, Silicon, Switching, Four Transistor Array, Types 2N6987, 2N6987U, and 2N6988, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 71 99 AR AS MI SM]	A	5961		CC	16-FEB-2010
M	MIL-PRF-19500/580B NOT 1	Semiconductor Device, Transistor, PNP, Silicon Amplifier, Types 2N4234, 2N4235, and 2N4236, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI OS SM]	A	5961		CC	24-FEB-2010
M	MIL-PRF-19500/700A NOT 1	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon, Types 2N7494U5, 2N7495U5, and 2N7496U5, JANTXVR, F, G, and H, and JANSR, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 71 99 AV MC MI]	A	5961		CC	24-FEB-2010
M	MIL-PRF-19500/706A NOT 1	Semiconductor Device, Field Effect Radiation Hardened (Total Dose and Single Event Effects) Transistor, N-Channel, Silicon Types 2N7497T2, 2N7498T2, and 2N7499T2, JANTXVR and JANSR [CUST: CR EC 85 CC NA] [REVIEW: AV MI]	A	5961		CC	24-FEB-2010
M	MIL-PRF-19500/716 NOT 1	Semiconductor Device, Diode, Non-Hermetic, Epoxy, Surface Mount, Silicon, Unipolar Transient Voltage Suppressor Types 1N5555UEG through 1N5558UEG, 1N5555UEJ through 1N5558UEJ, 1N5629AUEG through 1N5665AUEG, 1N5629AUEJ through 1N5665AUEJ, 1N5907UEG, 1N5907UEJ JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MI SM]	A	5961		CC	24-FEB-2010
M	MIL-PRF-19500/717 NOT 1	Semiconductor Device, Diode, Non-Hermetic, Epoxy Surface Mount, Silicon, Bidirectional Transient Voltage Suppressor, Types 1N6036AUEG through 1N6072AUEG, 1N6036AUEJ through 1N6072AUEJ, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MI SM]	A	5961		CC	24-FEB-2010
M	A-A-55563/21 NOT 1	Holder, Electrical Card, Metal Card Guide, Low Profile, Closed Ended, Without Flared Entry, With Three Mounting Holes, For Versamodule Eurocard Applications [CUST: CR EC 85 CC]	A	5998	/	CC	24-FEB-2010
M	A-A-55563/22 NOT 1	Holder, Electrical Card, Metal Card Guide, Low Profile, Closed Ended, With Flared Entry, With Three Mounting Holes, For Versamodule Eurocard Applications [CUST: CR EC 85 CC]	A	5998	/	CC	24-FEB-2010
M	A-A-59590C	Holder, Electrical Card, Wedge Retainers, 3 Piece, for Cold Plate Applications, General Specification for [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998	/	CC	28-FEB-2010
M	MIL-HDBK-1861A(3)	Selection and Use of Electrical and Electronic Assemblies, Boards, Cards, and Associated Hardware [CUST: CR EC 85 CC] [REVIEW: 99]	A	5998		CC	24-FEB-2010
M	MIL-PRF-28861C(3)	Filters and Capacitors, Radio Frequency/Electromagnetic Interference Suppression, General Specification for [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS AT AV MC MI OS SH]	A	59GP		CC	18-FEB-2010
M	QPL-24021-18 NOT 1	Electric Power Monitors, External, Aircraft (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6110		AS	25-FEB-2010
M	QPL-7115-30 NOT 1	Converters, Aircraft, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6130		AS	24-FEB-2010
M	MIL-DTL-24643/66A	Cable, Electrical, 1000 Volts, Type LS20W [CUST: MI SH] [REVIEW: AR AV CC CG CR EC]	A	6145		SH	28-JAN-2010
M	A-A-50439 NOT 2	Lamp, Incandescent, T-3-1/4, Miniature Screw Base [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50442 NOT 2	Lamp, Incandescent, T-8, Candelabra Screw [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50445 NOT 2	Lamp, Incandescent, G-8, Miniature Screw [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50447 NOT 2	Lamp, Incandescent, T-4, Candelabra Screw [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50448 NOT 2	Lamp, Incandescent, G-16-1/2, Bayonet Candelabra, Double Contact [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50450 NOT 2	Lamp, Incandescent, T-12, Medium Prefocusing, Single Contact [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50453 NOT 2	Lamp, Incandescent, G-8 Bulb, Double Contact, Bayonet Candelabra Base [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50589 NOT 2	Lamp, Incandescent, G-4-1/2, Miniature Bayonet, Single Contact [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50590 NOT 2	Lamp, Incandescent, G-3-1/2, Miniature Bayonet, Single Contact [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50592 NOT 2	Lamp Incandescent, S-11, Candelabra Screw [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50593 NOT 2	Lamp, Incandescent, T-2, Telephone Slide, Tungsten Filament, Clear Finish [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50594 NOT 2	Lamp, Incandescent, C-7, Bayonet, Double Contact [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-50600 NOT 2	Lamps, Incandescent, G-9, Bayonet Candelabra, Double Contact [CUST: CR4 SH 99 GS2] [REVIEW: 71 IS]	A	6240	/	GS2	01-MAR-2010
M	A-A-55133 NOT 2	Light, Chemiluminescent, 6-IN - 30 MIN - G [CUST: EC 99 GS2] [REVIEW: IS YD]	A	6260	/	GS2	01-MAR-2010
M	A-A-52510B	Generator, Tachometer [CUST: AT]	A	6680	/	AT	16-FEB-2010
M	MIL-DTL-5020E	Liquid, Compass, Aircraft [CUST: AV AS 11 GS]	A	6810		GS3	19-FEB-2010
M	MIL-C-51511 NOT 2	Calcium Chloride, Technical [CUST: EA OS 68] [REVIEW: AR CR4 GS MD]	A	6810		EA	22-FEB-2010
M	A-A-51925A NOT 2	Chigger Repellent and Antipruritic Lotion [CUST: MD MS 03 GS]	A	6840	/	GS3	23-FEB-2010
M	AA-D-600D(4)	Door, Vault, Security [CUST: FAS]	A	7110	#	FAS	05-JAN-2010
M	MIL-PRF-81705E(1)	Barrier Materials, Flexible, Electrostatic Discharge Protective, Heat-Sealable [CUST: GL AS 69 CC] [REVIEW: 11 70 71 84 85 CR OS SA SH SM]	A	8135		AS	08-FEB-2010

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-S-23389B(2)	Shipping and Storage Container, Cartridge, 20MM, M548 [CUST: AR SH 99]	A	8140	AR		09-FEB-2010
M	MIL-DTL-3628/7J	Badge, Qualification, National Rifleman, Navy; Pendant and Suspension Bar [CUST: IH NU] [REVIEW: CT]	A	8455	IH		26-FEB-2010
M	MIL-DTL-3628/8G	Badge, Qualification, Fleet Rifleman, Navy; Pendant and Suspension Bar [CUST: IH NU] [REVIEW: CT]	A	8455	IH		26-FEB-2010
M	MIL-DTL-3628/9H	Badge, Qualification, Rifleman, Navy; Pendant and Suspension Bar [CUST: IH NU] [REVIEW: CT]	A	8455	IH		26-FEB-2010
M	MIL-DTL-3628/10G	Badge, Qualification, National Pistol Shot, Navy; Pendant and Suspension Bar [CUST: IH NU] [REVIEW: CT]	A	8455	IH		26-FEB-2010
M	MIL-DTL-3628/11G	Badge, Qualification, Fleet Pistol Shot, Navy; Pendant and Suspension Bar [CUST: IH NU] [REVIEW: CT]	A	8455	IH		26-FEB-2010
M	MIL-DTL-3628/12G	Badge, Qualification, Pistol Shot, Navy; Pendant and Suspension Bar [CUST: IH NU] [REVIEW: CT]	A	8455	IH		26-FEB-2010
M	MIL-DTL-3628/31H	Badge, Qualification, Senior Parachutist, Navy and Marine Corps [CUST: IH NU] [REVIEW: CT MC]	A	8455	IH		19-FEB-2010
N	MIL-DTL-3628/254	Badge, Occupational, Cyberspace Support Basic, Senior, Master Grades, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455	IH		03-MAR-2010
M	MIL-DTL-3943/155C	Decoration, Crisis Response Service Award, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455	IH		12-FEB-2010
M	MIL-DTL-3943/156B	Decoration, Corps Commendation Medal, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]	A	8455	IH		12-FEB-2010
M	MIL-DTL-3943/157B	Decoration, Special Achievement Award, National Oceanic and Atmospheric Administration [CUST: IH] [REVIEW: CT]	A	8455	IH		12-FEB-2010
M	MIL-DTL-3943/161B	Decoration, Gold Star Medal, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		19-FEB-2010
M	MIL-DTL-3943/162C	Decoration, Distinguished Service Medal, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		19-FEB-2010
M	MIL-DTL-3943/163B	Decoration, Commissioned Officers Association, U.S. Public Health Service [CUST: IH] [REVIEW: CT]	A	8455	IH		19-FEB-2010
M	MIL-DTL-3943/164B	Decoration, Medal of Valor, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		19-FEB-2010
M	MIL-DTL-3943/165C	Decoration, Air Medal, Civilian, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455	IH		19-FEB-2010
M	MIL-DTL-3943/166C	Decoration, Aerial Achievement Medal, Civilian, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455	IH		19-FEB-2010
M	MIL-DTL-3943/301C NOT 1	Decoration, Civilian Achievement Medal, Air Force [CUST: IH 11] [REVIEW: CT]	A	8455	IH		24-FEB-2010
M	MIL-DTL-11484/220B	Lapel Button, Gold Star Medal, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		10-MAR-2010
M	MIL-DTL-11484/221B	Lapel button, Distinguished Service Medal, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		03-MAR-2010
M	MIL-DTL-11484/223B	Lapel Button, Medal of Valor, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		10-MAR-2010
M	MIL-DTL-11484/225B	Lapel Button, Aerial Achievement Medal, Civilian, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455	IH		03-MAR-2010
M	MIL-DTL-11484/263C	Lapel Button, Distinguished Civilian Service Award, Inspector General, Department of Defense [CUST: IH] [REVIEW: CT]	A	8455	IH		10-MAR-2010
M	MIL-DTL-11484/264C	Lapel Button, Superior Civilian Service Award, Inspector General, Department of Defense [CUST: IH] [REVIEW: CT]	A	8455	IH		10-MAR-2010
M	MIL-DTL-11484/312B	Lapel Button, Afghanistan Campaign Medal [CUST: IH NU 11] [REVIEW: CT MC]	A	8455	IH		10-MAR-2010
M	MIL-DTL-11589/382B	Ribbon, Medal of Valor, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		03-MAR-2010
M	MIL-DTL-11589/383B	Ribbon, Gold Star Medal, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		03-MAR-2010
M	MIL-DTL-11589/384B	Ribbon, Distinguished Service Medal, Bureau of Alcohol, Tobacco and Firearms [CUST: IH] [REVIEW: CT]	A	8455	IH		03-MAR-2010
M	MIL-DTL-11589/390C	Ribbon, Aerial Achievement Medal, Civilian, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455	IH		10-MAR-2010
M	MIL-DTL-11589/391C	Ribbon, Air Medal, Civilian, Air Force [CUST: IH 11] [REVIEW: 99 CT]	A	8455	IH		10-MAR-2010
M	MIL-DTL-14639/55A NOT 1	Insignia, Cadet Rank, Narrow Straight Bar, Air Force Academy [CUST: IH] [REVIEW: CT]	A	8455	IH		24-FEB-2010
M	MIL-DTL-14639/56A NOT 1	Insignia, Cadet Rank, Narrow Angle Bar, Air Force Academy [CUST: IH] [REVIEW: CT]	A	8455	IH		24-FEB-2010
M	MIL-DTL-14639/57A NOT 1	Insignia, Cadet Rank, Wide Angle Bar, Air Force Academy [CUST: IH] [REVIEW: CT]	A	8455	IH		24-FEB-2010
M	MIL-DTL-14639/58A NOT 1	Insignia, Cadet Rank, Chevron, Air Force Academy [CUST: IH] [REVIEW: CT]	A	8455	IH		24-FEB-2010
M	MIL-DTL-14639/59A NOT 1	Insignia, Cadet Rank, Cloud, Air Force Academy [CUST: IH] [REVIEW: CT]	A	8455	IH		24-FEB-2010
N	NCSL-Z540.3	Calibration of Measuring and Test Equipment, Requirements for [CUST: AR OS 05 CC] [REVIEW: 19 99 AR AS MC MI NA OS SH]	A	QCIC	CC		22-FEB-2010
M	DI-SESS-81652 NOT 1	Request for Confirmation of Nomenclature [AMSC: N7555]	A	SESS	AS		19-FEB-2010
M	DI-SESS-81655 NOT 1	Request for Approval of Identification Plate Drawings [AMSC: N7557]	A	SESS	AS		19-FEB-2010

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-S-85069/1A NOT 4	Sleeves, Fastener, Grooved, Reliability and Maintainability (Repair and Maintenance) Requirements for [CUST: AR AS 99 GS4] [REVIEW: 71]	A	5365		GS4	19-FEB-2010
M	MIL-DTL-13623/1B	Switches, Rotary: 28 Volt DC [CUST: AT CC]	A	5930		CC	22-FEB-2010
M	MIL-PRF-19500/228N	Semiconductor Device, Diode, Silicon, Rectifier, Types 1N3611, 1N3612, 1N3613, 1N3614, 1N3957, JAN and JANTX [CUST: CR EC 85 CC] [REVIEW: 19 70 99 AR AS AV MC MI SM]	A	5961		CC	16-FEB-2010
M	MIL-PRF-19500/253K(1)	Semiconductor Device, Transistor, NPN, Silicon, Low-Power, Types 2N930 and 2N930UB, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 71 99 AR AS AV MI SM]	A	5961		CC	04-FEB-2010
M	MIL-M-38510/16A NOT 1	Microcircuits, Digital, TTL, and Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	24-FEB-2010
M	MIL-M-38510/17B NOT 1	Microcircuits, Digital, TTL, Flip-Flops, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	24-FEB-2010
M	MIL-M-38510/206D NOT 1	Microcircuit, Digital, 4096 Bit Schottky, Bipolar, Programmable Read-Only Memory (PROM) [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	24-FEB-2010
M	MIL-P-50884E(2)	Printed Wiring Board, Flexible or Rigid-Flex, General Specification for [CUST: CR EC 85 CC] [REVIEW: 16 99 AR AS MC MI NRO OS SH TD]	A	5998		CC	14-FEB-2010
M	MIL-DTL-51027B	Antisetting Compound, Decontaminating Slurry, M2 [CUST: EA MC GS] [REVIEW: MD YD]	A	6850		GS3	12-FEB-2010
M	MIL-DTL-2439F	Container, Ammunition, Fiber, Spirally Wound [CUST: AR OS 99] [REVIEW: 11 69 70 AS DH FAS GS GS3 GS7 MC MI MP]	A	8140		AR	05-FEB-2010

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MS90530E NOT 3	Switch Pressure-Warning, SPST, Waterproof, 24 Volt, DC (S/S by MIL-DTL-12211/1) [CUST: AT CC]	A	5930		CC	23-FEB-2010
M	MIL-C-81582B(1) SUP 1 NOT 1	Connector, Electrical, Bayonet Coupling, Environmental Resisting, Umbilical, General Specification for (S/S by SAE-AS81542) [CUST: CR AS 99 CC] [REVIEW: 19 AR EC SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/1C NOT 1	Connector, Electric, Bayonet Coupling, Umbilical Receptacle, Jam Nut Mounting, RFI Shielded, Crimp Contact, Class E (S/S by SAE-AS81582/1) [CUST: CR AS 99] [REVIEW: 19 AR CC EC MI SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/2C NOT 1	Connector, Plug, Electric, Bayonet Coupling, Lanyard Release, RFI Shielded, Crimp Type Contacts, Class E (S/S by SAE-AS81582/2) [CUST: CR AS 99] [REVIEW: 19 AR CC EC SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/4B NOT 2	Connector, Adapter, RFI Shielded, Cable to Electric Connector (S/S by SAE-AS81582/4) [CUST: CR AS 99] [REVIEW: 19 AR CC EC SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/5A NOT 1	Connector Adapter, Right Angle, RFI Shielded, Electric Connector to Electric Connector (S/S by SAE-AS81582/5) [CUST: CR AS 99] [REVIEW: 19 AR CC EC SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/6A NOT 1	Connector, Adapter Assembly, Umbilical Cable to Stores Interface, Lanyard Release (S/S by SAE-AS81582/6) [CUST: CR AS 99] [REVIEW: 19 AR CC EC SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/7A NOT 1	Connector, Adapter assembly, Umbilical Cable to Stores Interface, Lanyard Release (S/S by SAE-AS81582/7) [CUST: CR AS 99] [REVIEW: 19 AR CC EC SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/8B NOT 1	Connector, Adapter Assembly, Umbilical Cable to Stores Interface, Lanyard Release (S/S by SAE-AS81582/8) [CUST: AS] [REVIEW: CC EC SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/9 NOT 1	Connector, Electrical, Bayonet Coupling, Environment Resisting, Umbilical, Caps, Protective (S/S by SAE-AS81582/9) [CUST: CR AS] [REVIEW: AR CC EC SH]	A	5935		AS	12-FEB-2010
M	MIL-C-81582/10 NOT 1	Connector, Electrical, Bayonet Coupling, Environment Resisting, Umbilical, Dummy Stowage Receptacle (S/S by SAE-AS81582/10) [CUST: CR AS] [REVIEW: AR CC EC SH]	A	5935		AS	12-FEB-2010
M	MS24234B NOT 4	Connector, Receptacle, Electrical, Wall Mounted (No S/S Document) [CUST: 85 CC]	A	5935		CC	10-FEB-2010
M	MS24235B NOT 4	Connector, Plug, Electrical, Cable Mounting (No S/S Document) [CUST: 85 CC]	A	5935		CC	10-FEB-2010
M	MS24236B NOT 4	Connector, Plug, Electrical, Straight (No S/S Document) [CUST: 85 CC]	A	5935		CC	10-FEB-2010
M	MS24237B NOT 4	Connector, Plug, Electrical, 90 Degrees (No S/S Document) [CUST: 85 CC]	A	5935		CC	10-FEB-2010
M	MS24238B NOT 4	Connector-Plug, Electrical, 45 Degrees (No S/S Document) [CUST: 85 CC]	A	5935		CC	10-FEB-2010
M	EIA440	Fiber Optic Terminology (S/S by TIA-440) [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	EIA587	Fiber Optic Graphic Symbols (S/S by TIA-587) [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	EIA-RS455.44	Profile, Refractive Index, Refracted Ray Method (S/S by TIA-455-176) [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	EIA-RS455.13	Optic Devices, Visual and Mechanical Inspection of Fibers, Cables, Connectors and/or other Fiber (S/S by TIA-455-13) [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	EIA-RS455.15	Immersion, Altitude (S/S by TIA-455-15) [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	EIA-RS455.14	Fiber Optic Shock Test, (Specified Pulse) (S/S by TIA-455-14) [CUST: CR AS 85] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	EIA-RS455.66	Optical Waveguide Coatings & Buffers, Test Methods for Measuring Relative Abrasion Resistance of (No S/S Document) [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	EIA-RS50	Fiber, Optical, Long Length Graded Index, Spectral Attenuation Measurements, Light-Launch Conditions for (S/S by TIA-455-78) [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	EIA-RS455.3	Optical Cable and Other Passive Fiber Optic Components, Procedure to Measure Temperature Cycling Effects of Optical Fiber (S/S by TIA-455-3) [CUST: CR AS 85 CC] [REVIEW: 13 19 93 99 MC SH TE]	A	60GP		CC	16-FEB-2010
M	MIL-R-81828(1) NOT 2	Rubber, Chlorosulfonated Polyethylene Elastomer, Sheet and Molded Shapes, Ozone Resistant (No S/S Document) [CUST: AS]	A	9320		AS	12-FEB-2010
M	ASTM-F1000	Piping System Drawing Symbols, Standard Practice for (See Withdrawal Notice for Replacement Information) [CUST: AR SH 99] [REVIEW: AS CC CR4 MR YD]	A	DRPR		SH	05-FEB-2010